

A C C E S S O R I E S



All TMI catalog sections are available online at: www.tmisystems.com/products/reference

TMI PRODUCT NO.	PERSPECTIVE	DESCRIPTION	W	H	D
A1400		Shelf with VGS laminate on both sides and PVC edging on all four edges.	12"	3/4"	12"
			15"	1"	14"
			18"		16"
			21"		18"
			24"		
			27"		
			30"		
			36"		
A1401		Double faced shelf with center divider and end caps, engineered for use with A7920 and A7921 double faced utility table frames.	31"	1"	41"
			37"	6"	47"
			43"		59"
			49"		
			55"		
			67"		
A1571		Folding shelf assembly with two spring loaded brackets. Shelving brackets are load rated at 88 pounds per pair.	15"	3/4"	12"
			18"	1"	15"
			21"		18"
			24"		
			27"		
			30"		
			33"		
			36"		
A2000		Shelving standard for use with A2030 brackets and A1400 shelving. <i>Minimum of 1 required for every 36" of shelving.</i>	5/8"	12"	1/2"
				24"	
				36"	
				48"	
				60"	
				72"	
				84"	
				96"	
A2020		Heavy duty shelving standard for use with A2050 brackets and A1400 shelving. <i>Minimum of 1 required for every 36" of shelving.</i>	7/8"	12"	3/4"
				24"	
				36"	
				48"	
				60"	
				72"	
				84"	
				96"	

A C C E S S O R I E S








All TMI catalog sections are available online at: www.tmisystems.com/products/reference

TMI PRODUCT NO.	PERSPECTIVE	DESCRIPTION	W	H	D
A2030		Shelving bracket for use with A2000 standards and A1400 shelving. <i>Minimum of 1 required for every 36" of shelving.</i>			8" 10" 12" 14" 18" 20"
A2050		Heavy duty shelving bracket for use with A2020 standards and A1400 shelving. <i>Minimum of 1 required for every 36" of shelving.</i>			8" 10" 12" 14" 18" 20"
A2131		Captive clothing hanger.	17"		
A2210		Plastic chrome louver.	9"	2-5/8"	
A2250		Magnetic eraser tray.	12"		

A C C E S S O R I E S



All TMI catalog sections are available online at: www.tmisystems.com/products/reference

TMI PRODUCT NO.	PERSPECTIVE	DESCRIPTION	W	H	D
A8600		Expanded metal shelf with a 3/4" x 3/4" x 10 gauge angle iron frame and 16 gauge expanded metal panel with 1/2" openings.	13-1/8" Min.	3/4"	13" 17" 23" 28"
A8610		Metal louvered toe kick plate.	As Req'd	3-3/4"	
A8813		Steel wire management trough.	96" Max.	4"	4"
A8840		Plastic wire management trough.	48"	2-1/2"	1-1/4"
A9616		Removable kneespace closure panels with a fixed 6" wide center panel for support bracket placement, and fixed toe base panels. All panels are finished with VGS laminate surface.	36" 42" 48" 54" 60" 66" 72"	30" 34" 36"	